


LEDspec Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4038$ $y=0.3841$ $u'=0.2375$ $v'=0.5082$

CCT=3479K (Duv=-0.0026) Dominant WL:Ld =582.1nm Purity=36.5%

Peak WL:Lp=621.4nm FWHM=185.8nm

Render Index:Ra=94.4 CRI=92.0

R1 =95 R2 =98 R3 =98 R4 =93 R5 =94 R6 =95 R7 =94

R8 =88 R9 =73 R10=94 R11=93 R12=77 R13=96 R14=99 R15=94

Photometric & Radiometric Parameters

Flux=255.0 lm Eff.:88.31 lm/W Fe=913.2 mW

Electrical parameters

V=24.00 V I=0.1203 A P=2.887 W PF=1.000 F=0.00 Hz





LEVEL:OUT WHITE:ANSI_3500K


Status: Integral T = 44 ms Ip = 50236 (77%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Date:2017-09-23 09:21:57

Rf: 91 **CCT: 3479 K** **u': 0.2375**
Rg: 100 **Duv: -0.0026** **v': 0.5082**





			Graphic shift(%)	
Hue Bin	Hue Angle	Rf	Chroma	Hue
1	0. 0° - 22. 5°	91	-3	1
2	22. 5° - 45. 0°	92	-2	2
3	45. 0° - 67. 5°	89	0	5
4	67. 5° - 90. 0°	93	0	2
5	90. 0° - 112. 5°	93	0	1
6	112. 5° - 135. 0°	96	1	0
7	135. 0° - 157. 5°	94	0	0
8	157. 5° - 180. 0°	96	-1	0
9	180. 0° - 202. 5°	92	-1	4
10	202. 5° - 225. 0°	86	0	8
11	225. 0° - 247. 5°	85	2	9
12	247. 5° - 270. 0°	89	5	4
13	270. 0° - 292. 5°	93	3	-3
14	292. 5° - 315. 0°	88	4	-5
15	315. 0° - 337. 5°	88	2	-4
16	337. 5° - 360. 0°	87	-1	-7