

COMPATIBILITY - CHANNEL COB



IP RATING

DMP WET

BODY COLOR

Silver Black* White*

LENS TYPE

Clear Soft Black Solid

SURFACE

1707

3525

1813

RECESSED

2515

4540

ANGLED

1919U

3030 SQ **3030 CR**

BENDABLE

3916

1806

*Lead time for this configuration is 7-10 weeks

Nova Flex LED LLC retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Feb.13.24.09:58

800.595.6302

novaflexled.com

COMPATIBILITY - CHANNEL COB



IP RATING

DMP Damp **WET** Wet



BODY COLOR

SLV Silver **BLK** Black* **WHT** White*


LENS TYPE

CLR Clear **SFT** Soft **BLK** Black **SLD** Solid


UNIVERSAL




MUD-IN



CHANNELESS



SUSPENDED



*Lead time for this configuration is 7-10 weeks

Nova Flex LED LLC retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Feb.13.24.09:58

800.595.6302

novaflexled.com

RESOURCE - CHANNEL LENS DOTTING COB



Dotting with soft lens		O - Damp
Angled	1919U	0
	3030 SQ/CR	0
Bendable	1806	1
	3916	-
Mud-In	6214	0
Recessed	2515	0
	4540	0
	6017	-
Universal	2217	0
	3560-B	0
	3560-M	1
Suspended	3030	0
Surface	1707	0
	1813	0
	3525	0
	4517	0
Channel-less	2913	0



0 - No Dotting



1 - Slight Dotting



2 - Blurred Dotting



3 - Clear Dotting

X Not Compatible